Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1	10/705927	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 12:38
L3	9	(plc program$6 near3 logic) same low same speed same high same interrupt$4 and (@ad<"20030820" @rlad<"20030820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 12:41
L4	9	(plc program$6 near3 logic) same (low and high) same speed same interrupt$4 and (@ad<"20030820" @rlad<"20030820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 12:41
L5	2	(plc program$6 near3 logic) same (low and high) near3 speed same interrupt$4 and (@ad<"20030820" @rlad<"20030820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 12:44
L6	2	(plc program$6 near3 logic) same (low same high) near3 speed same interrupt$4 and (@ad<"20030820" @rlad<"20030820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 12:45
L7	49	(plc program$6 near3 logic) and (low same high) near3 speed same interrupt$4 and (@ad<"20030820" @rlad<"20030820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 13:01
L8	0	700/18 and (low same high) near3 speed same interrupt$4 and (@ad<"20030820" @rlad<"20030820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 13:01
L10	0	700/86 and (low same high) near3 speed same interrupt$4 and (@ad<"20030820" @rlad<"20030820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 13:01
L9	1	700/2 and (low same high) near3 speed same interrupt$4 and (@ad<"20030820" @rlad<"20030820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 13:02
L11	12	"700"/$ and (low same high) near3 speed same interrupt$4 and (@ad<"20030820" @rlad<"20030820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 13:02

L12	36	"710"/$ and (low same high) near3 speed same interrupt$4 and (@ad<"20030820" @rlad<"20030820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 13:03
L13	24	"713"/$ and (low same high) near3 speed same interrupt$4 and (@ad<"20030820" @rlad<"20030820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 13:08
L15	3	"700"/$ and (low same high) near3 speed with interrupt$4 and (@ad<"20030820" @rlad<"20030820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 13:09
L17	14	"713"/$ and (low same high) near3 speed with interrupt$4 and (@ad<"20030820" @rlad<"20030820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 13:09
L16	11	"710"/$ and (low same high) near3 speed with interrupt$4 and (@ad<"20030820" @rlad<"20030820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 13:10
L18	10	"710"/$ and low near2 speed with high near2 speed with interrupt$4 and (@ad<"20030820" @rlad<"20030820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 13:11
L19	14	"713"/$ and low near2 speed with high near2 speed with interrupt$4 and (@ad<"20030820" @rlad<"20030820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 13:11
L20	3	"700"/$ and low near2 speed with high near2 speed with interrupt$4 and (@ad<"20030820" @rlad<"20030820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 13:11
L21	8	"710"/$ and low near speed with high near speed with interrupt$4 and (@ad<"20030820" @rlad<"20030820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 13:11
L23	3	"700"/$ and low near speed with high near speed with interrupt$4 and (@ad<"20030820" @rlad<"20030820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 13:11

L22	8	"713"/$ and low near speed with high near speed with interrupt$4 and (@ad<"20030820" @rlad<"20030820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 13:13
L24	0	"713"/$ and low near speed near (pulse ouput count$3) with high near speed near (pulse ouput count$3) with interrupt$4 and (@ad<"20030820" @rlad<"20030820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 13:14
L25	0	"710"/$ and low near speed near (pulse ouput count$3) with high near speed near (pulse ouput count$3) with interrupt$4 and (@ad<"20030820" @rlad<"20030820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 13:14
L26	0	"700"/$ and low near speed near (pulse ouput count$3) with high near speed near (pulse ouput count$3) with interrupt$4 and (@ad<"20030820" @rlad<"20030820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 13:14
L27	2	low near speed near (pulse ouput count$3) with high near speed near (pulse ouput count$3) with interrupt$4 and (@ad<"20030820" @rlad<"20030820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 13:15
L28	6	low near speed near2 (pulse ouput count$3) with high near speed near2 (pulse ouput count$3) with interrupt$4 and (@ad<"20030820" @rlad<"20030820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 13:17
L29	9	(low near speed near2 (pulse ouput count$3) same high near speed near2 (pulse ouput count$3)) with interrupt$4 and (@ad<"20030820" @rlad<"20030820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 13:18
L31	9	(low near speed near2 (pulse ouput count$3) and high near speed near2 (pulse ouput count$3)) with interrupt$4 and (@ad<"20030820" @rlad<"20030820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 13:18
L32	1	"700"/$ and (low near speed near2 (pulse ouput count$3) same high near speed near2 (pulse ouput count$3)) same interrupt$4 and (@ad<"20030820" @rlad<"20030820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 13:19
L33	2	"710"/$ and (low near speed near2 (pulse ouput count$3) same high near speed near2 (pulse ouput count$3)) same interrupt$4 and (@ad<"20030820" @rlad<"20030820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 13:19

L34	1	"713"/$ and (low near speed near2 (pulse ouput count$3) same high near speed near2 (pulse ouput count$3)) same interrupt$4 and (@ad<"20030820" @rlad<"20030820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 13:19
L30	20	(low near speed near2 (pulse ouput count$3) same high near speed near2 (pulse ouput count$3)) same interrupt$4 and (@ad<"20030820" @rlad<"20030820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 13:25
L35	30	(low near speed near2 (pulse output count$3) same high near speed near2 (pulse output count$3)) same interrupt$4 and (@ad<"20030820" @rlad<"20030820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 13:44
L36	1	(low near speed near2 (pulse and count$3) same high near speed near2 (pulse and count$3)) same interrupt$4 and (@ad<"20030820" @rlad<"20030820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 13:44
L37	1	(low near speed near2 (pulse and count$3) and high near speed near2 (pulse and count$3)) same interrupt$4 and (@ad<"20030820" @rlad<"20030820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 13:45
L38	3	(low near speed near2 (pulse and count$3) and high near speed near2 (pulse and count$3)) and interrupt$4 and (@ad<"20030820" @rlad<"20030820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 13:47
L40	141	(low near speed near2 (pulse count$3) and high near speed near2 (pulse count$3)) and interrupt$4 and (@ad<"20030820" @rlad<"20030820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 13:48
L41	20	(low near speed near2 (pulse count$3) and high near speed near2 (pulse count$3)) same interrupt$4 and (@ad<"20030820" @rlad<"20030820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 13:49
L42	9	(low near speed near2 (pulse count$3) and high near speed near2 (pulse count$3)) with interrupt$4 and (@ad<"20030820" @rlad<"20030820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 13:58
L43	15	(low near speed with (pulse and count$3) and high near speed with (pulse and count$3)) with interrupt$4 and (@ad<"20030820" @rlad<"20030820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 14:01

L44	23	(low near speed with (pulse and count$3) and high near speed with (pulse and count$3)) same interrupt$4 and (@ad<"20030820" @rlad<"20030820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 14:16
L45	24	(low near2 speed with (pulse and count$3) and high near2 speed with (pulse and count$3)) same interrupt$4 and (@ad<"20030820" @rlad<"20030820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 14:17
L46	1	(plc programmable) and (low near2 speed with (pulse and count$3) and high near2 speed with (pulse and count$3)) same interrupt$4 and (@ad<"20030820" @rlad<"20030820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 14:17
L47	39	(plc programmable) and (low near2 speed with (pulse count$3 frequency output clock) and high near2 speed with (pulse count$3 frequency output clock)) same interrupt$4 and (@ad<"20030820" @rlad<"20030820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 14:38
L48	13	(plc programmable) and (low near2 speed with (pulse count$3 frequency output clock) and high near2 speed with (pulse count$3 frequency output clock)) with interrupt$4 and (@ad<"20030820" @rlad<"20030820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 15:03
L49	8	$2multiplex$4 and (plc programmable) and (low near2 speed with (pulse count$3 frequency output clock) and high near2 speed with (pulse count$3 frequency output clock)) with interrupt$4 and (@ad<"20030820" @rlad<"20030820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 15:03
L50	1	09/895151	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 16:08
L51	3	"6812871".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 16:08